



OFFICE OF NAVAL RESEARCH
Contract N00014-76-C-0408
Project NR 092-555

Technical Report No. 19

SLOW DECOMPOSITION OF SILICONE RUBBER

bу

P. Vondracek and A. N. Gent

Institute of Polymer Science The University of Akron Akron, Ohio 44325



September, 1982

Reproduction in whole or in part is permitted for any purpose of the United States Government

Approved for Public Release; Distribution Unrestricted

TIE FILE CO

82 09 22 006

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
Technical Report No. 19	AD-A119 458		
1. TITLE (and Subtitle)		S. TYPE OF REPORT & PERIOD COVERE	
		Technical Report	
Slow Decomposition of Silicone	Kubber	6. PERFORMING ORG. REPORT NUMBER	
. AUTHOR(e)		S. CONTRACT OR GRANT NUMBER(s)	
P. Vondracek and A. N. Gent		N00014-76-C-0408	
PERFORMING ORGANIZATION NAME AND ADDR	RESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
Institute of Polymer Science The University of Akron		NR 092-555	
Akron, Ohio 44325 1. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE	
Office of Naval Research		September, 1982	
Power Program Arlington, VA 22217		13. NUMBER OF PAGES 27	
4. MONITORING AGENCY NAME & ADDRESS/II MI	forest from Controlling Office)	18. SECURITY CLASS. (of this report)	
		Unclassified	
		184 DECLASSIFICATION/DOWNGRADING	
6. DISTRIBUTION STATEMENT (of this Report)		L	
According to attached distribut Approved for public release; di		icted.	

17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

Submitted for publication in: Journal of Applied Polymer Science.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Ageing, Decomposition, Hydrolysis, Rubber, Silicone rubber.

The sol content of previously-extracted samples of lightly-crosslinked silicone rubber has been found to increase during prolonged storage under relatively mild conditions. Simultaneously, the tensile stress slowly decreases in samples held stretched, and the equilibrium degree of swelling increases somewhat. Thus, the polymer network appears to undergo slow decomposition. This process is accelerated by moisture, by ammonia vapor and by raising the temperature of storage. It is slowed down by prior treatment of the polymer with a (continued on reverse side)

SECURITY CLASSIFICATION OF THIS PAGE (The Best Entered)

20. ABSTRACT (continued)

silazane reagent which reduces the number of residual OH groups. It is therefore attributed to hydrolytic decomposition of the polydimethylsiloxane molecules, initiated by OH groups.

Accession For

NTIS GRA&I
DTIC TAB
Unannounced
Justification

By
Distribution/
Availability Codes
Avail and/or
Distribution/
Special

COPY

S/N 0102- LF 014-6401

1. Introduction

Silicone rubber is generally considered to be stable under mild conditions (1-3). It is regarded as one of the most weather-resistant elastomers, even though some lowering of the mechanical properties has been reported after storage in the open air for several years (1) or after long-term implantation in the human body (4). Recently, however, we have observed the spontaneous adhesion of crosslinked silicone rubber to various substrates (5). This bonding process appeared to be associated with OH groups generated by hydrolytic decomposition of silicone rubber under relatively mild conditions. A detailed study has therefore been carried out of the chemical stability of polydimethylsiloxane polymers and crosslinked materials made from them. Measurements have been made of the sol fraction of the crosslinked materials, and of stress relaxation during long periods of storage. The results are reported here.

2. Experimental details

(a) Materials and sample preparation

The materials employed have been described elsewhere (5). One was polydimethylsiloxane, denoted PDMS (SE-30, General Electric Company) and the other was basically similar except for the incorporation of a small amount of methylvinylsiloxane units (SE-33, General Electric Company). Both were crosslinked with dicumyl peroxide (Di-Cup R, Hercules Chemical Company).

(b) Determination of equilibrium swelling in toluene and sol content Weighed samples of the crosslinked materials, about 1 mm thick and weighing about 0.2 g, were immersed in toluene at room temperature for 48 h. The toluene was replaced after 24 h. The swollen samples were weighed in order to determine the amount of toluene absorbed and then dried at 80°C or at room temperature in vacuo for 16 h to determine the dry weight of the sample.

(c) Stress relaxation

A strip of crosslinked material about 90 mm long, 10 mm wide and 2 mm thick was secured with its lower end held in a fixed clamp and its upper end held in a clamp connected by a long thin wire to a force transducer. The sample was surrounded by a heated glass tube so that its temperature could be maintained at any desired level in the range 25 - 200°C. By adjusting the position of the force transducer the sample could be stretched to various extents and then held at constant elongation over long periods of time.

Most of the experiments were carried out at an extension of 20%. Provision was made for a preheated stream of air or ammonia vapor to circulate around the sample.

3. Experimental results and discussion

(a) Sol formation and degree of crosslinking

Measurements of the sol fraction of lightly-crosslinked silicone rubber gave continuously-increasing values as the extraction process continued, Figure 1. This feature has been noted previously by Bueche (6). It suggests that the molecular network decomposes slowly with the passage of time to form additional uncrosslinked material.

As shown in Figure 2, when an extracted sample is stored under relatively-mild conditions, a considerable amount of new soluble material is generated. This process is accelerated somewhat at higher temperatures, and strongly by the presence of ammonia vapor. As it does not appear to take place under dry conditions, it is attributed to a hydrolytic decomposition, catalyzed by ammonia.

Similar, but much smaller, effects were observed with the vinyl-containing PMVS polymer, crosslinked to different degrees. The measured amounts of soluble material after storage under various conditions are given in Table 1.

It was noticed that removal of the newly-formed soluble material by extraction caused an increased rate of formation of sol, Figure 3. Apparently, an equilibrium is established between the sol and gel fractions and when the soluble portion is removed decomposition proceeds further to replace it.

Simultaneously with the formation of new soluble material the equilibrium degree of swelling of the materials increases slightly, Table 2, suggesting again that this polymer is chemically unstable

under relatively mild storage conditions. Although decomposition of silicone rubber has been noted previously at relatively high temperatures (7-9), and attributed to hydrolysis, it has not previously been reported to take place under relatively mild conditions, at least as far as the present authors are aware.

(b) Stress relaxation and permanent set

Continued relaxation of the tensile stress in crosslinked materials held in the stretched state reflects changes in the network structure. Some relaxation is associated solely with physical processes such as the slow rearrangement of entangled molecules. When a stretched strip of lightly-crosslinked PDMS was exposed to ammonia vapor, the tensile stress decreased by about 10 per cent in a period of an hour or two, Figure 4. This change is attributed solely to a physical process, i.e., the uptake of ammonia by the elastomer. When the surrounding ammonia gas stream was removed and the absorbed ammonia slowly diffused out of the stretched strip, then the tensile stress returned to its original level, Figure 4.

Nevertheless, continued relaxation of stress due to network decomposition was evident at long times, at elevated temperatures, and especially in the presence of ammonia vapor, Figure 5. In this case, when the ammonia was removed after prolonged exposure, then the stress no longer returned to the level expected from air exposure, Figure 5. Moreover, the continued relaxation in air, and accelerated relaxation in ammonia, suggests that virtually all of the network chains would be broken after about 1,000 h in air and 100 h in ammonia. Thus, the decomposition process at 110°C is relatively rapid and extensive.

However, the materials after a substantial degree of stress relaxation had occurred, i.e., when only 35-40 per cent of the initial stress remained, were found to swell in toluene to about the same extent as originally. Thus, the total density of network

chains was not significantly altered by prolonged storage. This indicates that the decomposition process leading to stress relaxation must be primarily a process of bond <u>interchange</u> rather than bond scission, probably catalyzed by moisture and by residues of the catalysts introduced for polymerization. This conclusion is supported by the rather large amount of permanent set, about 50 per cent, shown by the same samples when the tensile stress was removed.

Silanol groups in polydimethylsiloxane polymers may be partly responsible for the relatively-facile bond rearrangement and decomposition that has been observed. These groups are relatively reactive. Together with ionic impurities or catalyst residues, they could well reduce the stability of unfilled silicone polymers (7, 9-12). It should be noted that the materials used for relaxation experiments were unextracted and so contained impurities arising from both the polymerization and crosslinking reactions. It appears that this sensitivity towards impurities is greatly reduced in the presence of fillers, as is usually the case in commercial formulations (13).

Evidence for the presence of silanol groups in the original polymer was obtained by reacting PDMS with tetraethoxysilane, yielding a substantial amount, 76 per cent, of gelled polymer. Thus, there must have been at least one silanol group on each polymer molecule in order to be able to achieve this high degree of gelation.

An attempt was also made to block these OH groups by reacting PDMS with hexamethyldisilazane to yield trimethylsiloxy groups in their place (5). Crosslinked samples made from this modified polymer were found to generate soluble material to a considerably smaller degree on prolonged storage, Figure 6, indicating an increased stability. However, the relaxation of stress at 110°C and in the presence of ammonia vapor was found to take place to the same degree and at much the same speed as for the corresponding unmodified material.

Thus, it appears that while OH groups present in the original polymer play an important role in the processes leading to the formation of soluble material, they do not appear to affect significantly the process, probably bond-interchange, that is responsible for the observed relaxation of stress.

4. Conclusions

Evidence has been put forward for slow hydrolytic decomposition of polydimethylsiloxane under relatively mild conditions. The amount of soluble material in lightly-crosslinked materials increases continuously and the stress in stretched strips relaxes continuously. These processes are catalyzed by the presence of moisture, and ammonia, and by raising the temperature. Moreover, when the number of silanol groups in the polymer was reduced, the stability was found to be increased. This suggests that silanol groups in polydimethylsiloxane polymers play an important role in initiating the hydrolytic reactions that are inferred to be responsible for stress-relaxation, sol formation, and chemical bonding to silica fillers (14) or to OH-containing substrates (5).

Acknowledgements

This work forms part of a program of research on adhesion supported by the Office of Naval Research (Contract NO0014-76-C-0408). Additional support from Lord Kinematics Division of Lord Corporation is also acknowledged.

References

- 1. W. Noll, "Chemistry and Technology of Silicones," Academic Press, N. Y., 1968.
- 2. F. M. Lewis, Rubb. Chem. Technol., 35, 1222 (1962).
- 3. E. L. Warrick, O. R. Pierce, K. E. Polmanteer and J. C. Saam: Rubb. Chem. Technol., <u>52</u>, 437, (1979).
- 4. B. Dolezel, L. Adamirova and Z. Naprstek, Plasty Kancuk, <u>17</u>, 276 (1980).
- 5. A. N. Gent and P. Vondracek, J. Appl. Polymer Sci., in press.
- 6. A. M. Bueche, J. Polymer Sci., <u>15</u>, 105 (1955).
- A. C. Martellock, Division of Polymer Chemistry, ACS, Boston, April 10, 1959.
- 8. D. K. Thomas, Polymer, <u>7</u>, 99 (1966).
- R. G. Osthoff, A. M. Bueche and W. T. Grubb, J. Amer. Chem.
 Soc., <u>76</u>, 4659 (1954)
- J. M. Nielsen, J. Appl. Polymer Science: Applied Polymer Symposia, 35, 223 (1979).
- 11. E. G. Rochow, Chemistry of the Silicones, 2nd ed., Hiley, New York, 1951.
- 12. N. Grassie and I. G. MacFarlane, European Polymer J., 14
 875 (1978).
- 13. J. R. Falender, Private communication.
- Li Yu-Fu, Xia Yong-Xia, xu Bong-reng and Er Guang-Liang,
 - J. Polymer Science: Polymer Chem. Ed., 19, 3096 (1981).

Table 1. Weight fraction of soluble material (%) formed in previously-extracted samples of PMVS silicone rubber when stored under various conditions

		Samp	oles
Storage conditions	Storage time (h)	Crosslinked with 0.025% DCP	Crosslinked with 0.5% DCP
Air, 25 ⁰ C	48	0.06	0.09
	240	0.01	0.00
	410	0.00	
Air, 135 ⁰ C	48	0.1	0.12
	240	0.22	0.00
	410	0.29	
NН ₄ ОН, 25 ^О С	48	0.20	0.21
	240	0.33	0.15
	410	0.68	0.33


Table 2. Equilibrium volume swelling ratios in toluene after storage for three weeks under various conditions.


		Samples	
Storage Conditions	PMVS (0.025% DCP)	PMVS (0.5% DCP)	PDMS (2% DCP)
(Initial values)	(7.85)	(4.55)	(9.5)
Air, 25 ⁰ C	-	4.65	-
Air, 135 ⁰ C	9.1	-	-
NH ₄ OH, 25 ^O C	9.0	4.65	11.25


Figure Captions


- Figure 1. Weight loss Δw of a lightly-crosslinked PDMS material after extraction with toluene for various periods. Cold extraction, 0; hot (Soxhlet) extraction, Δ .
- Figure 2. Soluble fraction ΔS generated in a previously-extracted sample of a lightly-crosslinked PDMS material by exposure for various periods to different environments.
- Figure 3. Soluble fraction S generated in a previouslyextracted sample of a lightly-crosslinked PDMS
 material by exposure to ammonia vapor at room
 temperature, O. Sample extracted after 200 h exposure
 and then re-exposed, O.
- Figure 4. Relaxation of tensile stress <u>f</u>, relative to the initial value <u>fo</u>, for a lightly-crosslinked sample of PDMS at 70°C. Air atmosphere, O; NH₃ admitted after 1 h, **G**; NH₃ atmosphere removed after 3 h, **C**.


- Figure 5. Relaxation of tensile stress \underline{f} , relative to the initial value $\underline{f_0}$, for a lightly-crosslinked sample of PDMS at 110° C in air, 0; in ammonia, \bigcirc , \bullet , after ammonia was removed, \bullet .
- Figure 6. Soluble fraction <u>S</u> generated in lightly-crosslinked samples of treated (•) and untreated (0) PDMS on exposure to ammonia vapor at room temperature.














<u> </u>	lo. Copies	No. Copies
Dr. L.V. Schmidt	1	Dr. F. Roberto 1
Assistant Secretary of the Navy	<i>(</i>	Code AFRPL MKPA Edwards AFB, CA 93523
(R,E, and S) Room 5E 731		Edwards Arb, CA 93323
Pentagon Washington, D.C. 20350		Dr. L.H. Caveny
magning don't bree leader		Air Force Office of Scientific
Dr. A.L. Slafkosky	1	Research
Scientific Advisor		Directorate of Aerospace Sciences Bolling Air Force Base
Commandant of the Marine Corps		Washington, D.C. 20332
Code RD-1 Washington, D.C. 20380		· · · · · · · · · · · · · · · · · · ·
magning den, and added		Mr. Donald L. Ball
Dr. Richard S. Miller	10	Air Force Office of Scientific
Office of Naval Research		Research Directorate of Chemical Sciences
Code 413		Bolling Air Force Base
Arlington, VA 22217		Washington, D.C. 20332
Mr. David Siegel	1	
Office of Naval Research	•	Dr. John S. Wilkes, Jr. 1
Code 260		FJSRL/NC USAF Academy, CO 80840
Ariington, VA 22217		USAF Academy, CO 80840
Dr. R.J. Marcus	1	Dr. R.L. Lou
Office of Naval Research	•	Aerojet Strategic Propulsion Co.
Western Office		P.O. Box 15699C
1030 East Green Street		Sacramento, CA 95813
Pasadena, CA 91106		Dr. V.J. Keenan 1
Dr. Larry Peebles	7	Anal-Syn Lab Inc.
Office of Naval Research	•	P.O. Box 547
East Central Regional Office		Paoli, PA 19301
666 Summer Street, Bldg. 114-D		Dr. Philip Howe
Boston, MA 02210	•	Army Ballistic Research Labs
Dr. Phillip A. Miller	1	ARRADCOM
Office of Naval Research	•	Code DRDAR-BLT
San Francisco Area Office		Aberdeen Proving Ground, MD 21005
One Hallidie Plaza, Suite 601		Mr. L.A. Watermeier
San Francisco, CA 94102		Army Ballistic Research Labs
Mr. Otto K. Heiney	1	ARRÁDCOM
AFATL - DLDL	•	Code DRDAR-BLI
Elgin AFB, FL 32542		Aberdeen Proving Ground, MD 21005
Mr. R. Geisler	•	Or. W.W. Wharton
ATTN: MK2/MS24	7	Attn: DRSMI-RKL
AFRPL		Commander
Edwards AFB, CA 93523		U.S. Army Missile Command
-		Redstone Arsenal, AL 35898

		•
	No. Copies	No. Copies
Dr. R.G. Rhoades Commander Army Missile Command DRSMI-R Redstone Arsenal, AL 35898	1	Dr. E.H. Debutts 1 Hercules Inc. Baccus Works P.O. Box 98 Magna, UT 84044
Dr. W.D. Stephens Atlantic Research Corp. Pine Ridge Plant 7511 Wellington Rd. Gainesville, VA 22065	1	Dr. James H. Thacher l Hercules Inc. Magna Baccus Works P.O. Box 98 Magna, UT 84044
Dr. A.W. Barrows Ballistic Research Laborator USA ARRADCOM DRDAR-BLP Aberdeen Proving Ground, MD		Mr. Theordore M. Gilliland l Johns Hopkins University APL Chemical Propulsion Info. Agency Johns Hopkins Road Laurel, MD 20810
Or. C.M. Frey Chemical Systems Division P.O. Box 358 Sunnyvale, CA 94086	1	Dr. R. McGuire I Lawrence Livermore Laboratory University of California Code L-324 Livermore, CA 94550
Professor F. Rodriguez Cornell University School of Chemical Engineeri Olin Hall, Ithaca, N.Y. 148		Dr. Jack Linsk 1 Lockheed Missiles & Space Co. P.O. Box 504
Defense Technical Informatio Center DTIC-DDA-2 Cameron Station Alexandria, VA 22314	n 12	Code Org. 83-10. Bldg. 154 Sunnyvale, CA 94088 Dr. B.G. Craig l Los Alamos National Lab P.O. Box 1663 NSP/DOD, MS-245 Los Alamos, NM 87545
Dr. Rocco C. Musso Hercules Aerospace Division Hercules Incorporated Alleghany Ballistic Lab P.O. Box 210 Washington, D.C. 21502	1	Dr. R.L. Rabie WX-2, MS-952 Los Alamos National Lab. P.O. Box 1663 Los Alamos NM 37545
Or. Ronald L. Simmons Hercules Inc. Eglin AFATL/DLDL Eglin AF3, FL 32542		Pos Alamos Scientific Lab. P.O. Box 1663 Los Alamos, NM 27545

	No. Copies	No. Copies
Mr. R. Brown Naval Air Systems Command Code 330 Washington, D.C. 20361	1	Or. J. Schnur 1 Naval Research Lab. Code 6510 Washington, D.C. 20375
Dr. H. Rosenwasser Naval Air Systems Command AIR-310C Washington, D.C. 20360	1	Mr. R. Beauregard I Naval Sea Systems Command SEA 64E Washington, D.C. 20362
Mr. B. Sobers Naval Air Systems Command Code 03P25 Washington, D.C. 20360	٦	Mr. G. Edwards 1 Naval Sea Systems Command Code 62R3 Washington, D.C. 20362
Dr. L.R. Rothstein Assistant Director Naval Explosives Dev. Engineering Dept. Naval Weapons Station	1	Mr. John Boyle 1 Materials Branch Naval Ship Engineering Center Philadelphia, PA 19112
Yorktown, VA 23691 Dr. Lionel Dickinson Naval Explosive Ordnance Disposal Tech. Center	1	Or. H.G. Adolph 1 Naval Surface Weapons Center Code Rll White Oak Silver Spring, MD 20910
Code D Indian Head, MD 20640 Mr. C.L. Adams Naval Ordnance Station Code PM4	1	Dr. T.D. Austin 1 Naval Surface Weapons Center Code R16 Indian Head, MD 20640
Indian Head, MD 20640 Mr. S. Mitchell Naval Ordnance Station Code 5253 Indian Head, MD 20640	1	Or. T. Hall I Code R-II Naval Surface Weapons Center White Oak Laboratory Silver Spring, MD 20910
Dr. William Tolles Dean of Research Naval Postgraduate School Monterey, CA 93940	1	Mr. G.L. Mackenzie 1 Naval Surface Weapons Center Code R101 Indian Head, MD 20640
Naval Research Lab. Code 6100 washington, J.J. 20378	1	Dr. K.F. Mueller 1 Naval Surface Weapons Center Code Rll White Cak Silver Spring, MD 20910

No. C	opies	No. Copies
Mr. J. Murrin Naval Sea Systems Command Code 62R2 Washington, D.C. 20362	1	Dr. A. Nielsen I Naval-Weapons Center Code 385 China Lake, CA 93555
Or. D.J. Pastine Naval Surface Weapons Cneter Code RO4 White Oak	7	Or. R. Reed, Jr. 1 Naval Weapons Center Code 388 China Lake, CA 93555
Silver Spring, MD 20910 Mr. L. Roslund Naval Surface Weapons Center Code R122 White Oak, Silver Spring	1	Dr. L. Smith Naval Weapons Center Code 3205 China Lake, CA 93555
MD 20910 Mr. M. Stosz	1	Dr. B. Douda Naval Weapons Support Center Code 5042
Naval Surface Weapons Center Code R121 White Oak Silver Spring, MD 20910	· .	Or. A. Faulstich 1 Chief of Naval Technology MAT Code 0716
Dr. E. Zimmet Naval Surface Weapons Center Code R13 White Oak	1	Washington, D.C. 20360 LCDR J. Walker Chief of Naval Material Office of Naval Technology
Silver Spring, MD 20910 Dr. D. R. Derr	1	MAT, Code 0712 Washington, D.C. 20360
Naval Weapons Center Code 388 China Lake, CA 93555		Mr. Joe McCartney 1 Naval Ocean Systems Center San Diego, CA 92152
Mr. Lee N. Gilbert Naval Weapons Center Code 3205 China Lake, CA 93555	1	Dr. S. Yamamoto 1 Marine Sciences Division Naval Ocean Systems Canter San Diego, CA 91232
Or. E. Martin Naval weapons Center Code 3858 China Lake, CA 93555	1	Dr. G. Bosmajian 1 Applied Chemistry Division Naval Ship Research & Development
Mr. R. McCarter Naval Weapons Center	1	Center Annapolis, MD 21401 Dr. H. Shuev 1
Code 3272 China Lake, CA 93555		Dr. H. Shuev Rohn and Haas Company Huntsville, Alabama 35801

No. C	<u>Conies</u>	No. Cories
Dr. J.F. Kincaid Strategic Systems Project Office Department of the Navy	1	Dr. C.W. Vriesen Thickel Elkton Division P.O. Box 241 Elkton, MD 21921
Room 901 Washington, D.C. 20376		Dr. J.C. Hinshaw Thickol Wasatch Division P.O. Box 524
Strategic Systems Project Office Propulsion Unit Code SP2701 Decembert of the Navy	ı	Brigham City, Utah 83402 U.S. A my Research Office 1
Mashington, D.C. 20376 Mr. E.L. Throckmorton Stratagic Systems Project Office Department of the Navy	1	Chemical & Biological Sciences Division P.O. Box 12211 Research Triangle Park NC 27709
Room 1043 Washington, D.C. 20376 Dr. D.A. Flanigan	1	Dr. R.F. Walker 1 USA ARRADCOM DROAR-LCE Dover, NJ 07801
Thickel Huntsville Division Huntsville, Alabama 35807	•	Dr. T. Sinden ! Munitions Directorate Propellants and Exclosives
Mr. G.F. Mangum Thickol Corporation Huntsvilla Division Huntsville, Alabama 35807	1	Defence Equipment Staff British Embassy 3100 Massachusetts Ave. Washington, D.C. 20008
Mr. E.S. Sutten Thickel Cerporation Elkton Division P.O. Box 241	ī	LTC B. Loving 1 AFROL/LK Edwards AFB, CA 93523
Elkton, AD 21921 Dr. G. Thompson Thickel	1	Professor Alan N. Gent I Institute of Polymer Science University of Akron Akron, OH 44325
Wasatch Division . MS 240 P.O. Box 524 Brigham City, UT 84302		Mr. J. M. Frankle Army Ballistic Research Labs
On. T.F. Davidson Technical Director Thickel Componation Unit was Systems Group P.G. Box 9258 Cogen, Utah 84409	ĭ	ARRADCOM Code DRDAR-BLI Aberdeen Proving Ground, MD 21005
Control of the contro		•

No. C	opies	No. Co	ppies
Dr. Ingo W. May Army Ballistic Research Labs ARRADCOM Code DRDAR-BLI Aberdeen Proving Ground, MD 21005	1	Dr. J. P. Marshall Dept. 52-35, Bldg. 204/2 Lockheed Missile & Space Co. 325! Hanover Street Palo Alto, CA 94304	1
Professor N.W. Tschoegl California Institute of Tech Dept. of Chemical Engineering Pasadena, CA 91125	1	Ms. Joan L. Janney Los Alamos National Lab Mail Stop 920 Los Alamos, NM 87545	1
Professor M.D. Nicol University of California Dept. of Chemistry	1	Dr. J. M. Walsh Los Alamos Scientific Lab Los Alamos, NM 87545	1
405 Hilgard Avenue Los Angeles, CA 90024 Professor A. G. Evans University of California	1	Professor R. W. Armstrong Univ. of Maryland Department of Mechanical Eng College Park, MD 20742	1
Professor T. Litovitz Catholic Univ. of America Physics Department	1	Prof. Richard A. Reinhardt Naval Postgraduate School Physics & Chemistry Dept. Monterey, CA 93940	1
520 Michigan Ave., N.E. Washington, D.C. 20017 Professor W. G. Knauss	1	Dr. R. Bernecker Naval Surface Weapons Center Code R13 White Oak, Silver Spring, MD	
Graduate Aeronautical Lab California Institute of Tech. Pasadena, CA 91125		Dr. M. J. Kamlet Naval Surface Weapons Center	ī
Professor Edward Price Georgia Institute of Tech. School of Aerospace Engin.	1	Code R11 White Oak, Silver Spring, MD	20910 1
Atlanta, Georgia 30332 Dr. Kenneth O. Hartman Hercules Aerospace Division	1	Professor J. D. Achenbach Northwestern University Dept. of Civil Engineering Evanston, IL 60201	•
Hercules Incorporated P.O. Box 210 Cumberland, MD 21502	1	Dr. N. L. Basdekas Office of Naval Research Mechanics Program, Code 432 Arlington, VA 22217	1
Or. Thor L. Smith IBM Research Lab D42.282 San Jose, CA 95193		Professor Kenneth Kuo Pennsylvania State Univ. Dept. of Mechanical Engineer	i ing

<u>N</u>	o. Copies		No. Copies
Or. S. Sheffield Sandia Laboratories Division 2513 P.O. Box 5800 Albuquerque, NM 87185	1		
Or. M. Farber Space Sciences, Inc. 135 Maple Avenue Monrovia, CA 91016	1		
Dr. Y. M. Gupta SRI International 333 Ravenswood AVenue Menlo Park, CA 94025	1		
Mr. M. Hill SRI International 333 Ravenswood Avenue Menlo Park, CA 94025	1		
Professor Richard A. Schapery Texas A&M Univ. Dept of Civil Engineering College Station, TX 77843	1		
Or. Stephen Swanson Univ. of Utah Dept. of Mech. & Industrial Engineering MEB 3008 Salt Lake City, UT 84112	1	·	
Mr. J. O. Byrd Thiokol Corp. Huntsville Huntsville Div. Huntsville, AL 35807	1		
Professor G. D. Duvall Washington State University Dept. of Physics Pullman, WA 99163	1		
Prof. T. Dickinson Washington State University Dept. of Physics Pullman, WA 99163	1		

